



## OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of  
NSF/ANSI 51 - Food Equipment Materials

This is the Official Listing recorded on September 16, 2019.

**Kuriyama Canada, Inc.**  
140 Roy Boulevard  
Brantford, Ontario N3R 7K2  
Canada  
519-759-5111

**Facility: Brantford, Ontario, Canada**

Trade Designation	Color	Type of food	Maximum Temperature of Use in °F
Flexible PVC Hoses & Tubing for Food Zone Bevlex® 200 <sup>[1]</sup>	Light Blue Tint	Alcohol greater than 180° 8% Alcohol less than or equal to 8% Aqueous Acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids	
Bevlex® 203 <sup>[1]</sup>	Light Blue Tint Interior and Black Exterior	Alcohol greater than 180° 8% Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids	
Bevlex® 204 <sup>[1]</sup>	Light Blue Tint Interior and Red Exterior	Alcohol greater than 180° 8% Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids	
Bevlex® 209X <sup>[1] [2]</sup>	Light Blue Tint Interior and Colored Exterior	Alcohol greater than 180° 8% Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids	

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



Kuri Tec K010 <sup>[3]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K3130 (1) [1] [4] BF	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K3150 (1) [1] RF	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K3170 <sup>[1]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K3180 <sup>[1]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K3280 <sup>[3]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K3280X <sup>[1] [2]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K610 <sup>[3]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



Kuri Tec K6130 <sup>[1]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K613X <sup>[2]</sup> [5]	White interior and colored exterior	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K6150 <sup>[1]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K615X <sup>[1]</sup> [2]	Light Blue Tint Interior and Colored Exterior	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K6170 <sup>[1]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K6180 <sup>[1]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K61X <sup>[1]</sup> [2]	Light Blue Tint Interior and Colored Exterior	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K620 <sup>[3]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



Kuri Tec K62X <sup>[1] [2]</sup>	Light Blue Tint And Colored Exterior	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K630 <sup>[3]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K7130 (1) Polywire <sup>[1] [4] [5]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K7160 (1) Polyspring <sup>[1] [4] [5]</sup>	Light Blue Tint	Oils and fats Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K7300 (1) Polywire Plus <sup>[1] [4] [5]</sup>	Light Blue Tint	Oils and fats Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K7330 Polywire Plus <sup>[1] [5]</sup>	Natural with Clear Blue Tint Exterior	Oils and fats Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec® K7560 Polyspring® Oil <sup>[1] [6]</sup>	Light Blue/Violet Tint	Oils and fats Alcohol less than or 150° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dairy, water in oil emulsions Dry solids Oils and Fats

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



Kuri Tec® Sani Clear <sup>[3]</sup> [5] AM K010AM	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, Water in Oil Emulsions Dairy, oil in water emulsions Oils and fats
Polywire Plus K7800 <sup>[1]</sup> [5]	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
PVC Material for Food Zone KC030 <sup>[5]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids Oils and fats
KC030-LF-2 <sup>[7]</sup>	Light Blue/Violet Tint	Alcohol Less than or 180° equal to 8% Aqueous Acidic Aqueous Non-Acidic Dairy, Oil in Water Emulsions Dairy, Water in Oil Emulsions Oils-Fat
KC030-W <sup>[5]</sup>	White	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids Oils and fats
KC032 <sup>[5]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids Oils and fats

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



KC032-W [5]	White	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids Oils and fats
KC033 [5]	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids Oils and fats
KC033-LF-2[7]	Light Blue/Violet Tint	Alcohol Less than or 180° equal to 8% Aqueous Acidic Aqueous Non-Acidic Dairy, Oil in Water Emulsions Dairy, Water in Oil Emulsions Oils-Fat
KC033-W [5]	White	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids Oils and fats
KC6018[6]	Light Blue/Violet Tint	Alcohol less than or 150° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dairy, water in oil emulsions Dry solids Oil-Fat

[1] Interior is food zone and exterior is splash zone.

[2] Suffix X = 1, 2, 3, A, B, C, etc. which indicates exterior color designation.

[3] Interior and exterior are food zone.

[4] (1) maybe suffixed by letter C to indicate a customer specific designation.

[5] This material is only acceptable for repeated use.

[6] This material is only acceptable for repeated use and cannot be used with infant formula and breast milk.

[7] This material is only acceptable for repeated use and cannot be used with foods containing more than 15% alcohol.

**Facility: Williamsport, IN**

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



Trade Designation	Color	Type of food	Maximum Temperature of Use in °F
Flexible PVC Hoses & Tubing for Food Zone Bevlex® 200 <sup>[2]</sup>	Light Blue Tint	Alcohol greater than 180° 8% Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids	
Bevlex® 203 <sup>[2]</sup>	Light Blue Tint Interior and Black Exterior	Alcohol greater than 180° 8% Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids	
Bevlex® 204 <sup>[2]</sup>	Light Blue Tint Interior and Red Exterior	Alcohol greater than 180° 8% Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids	
Bevlex® 209X <sup>[2]</sup> [3]	Light Blue Tint Interior and Colored Exterior	Alcohol greater than 180° 8% Alcohol less than or equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids	
Kuri Tec K010 <sup>[1]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids	
Kuri Tec K3130(1) BF <sup>[2]</sup> [4]	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids	

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



Kuri Tec K3150(1) RF <sup>[2]</sup> [4]	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K610 <sup>[1]</sup>	Light Blue Tint Interior	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K620 <sup>[1]</sup>	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K62X <sup>[2]</sup> [3]	Light Blue Tint And Colored Exterior	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids
Kuri Tec K630	Light Blue Tint	Alcohol less than or 180° equal to 8% Aqueous acidic Aqueous non-acidic Dairy, oil in water emulsions Dry solids

[1] Interior and exterior are food zone.

[2] Interior is food zone and exterior is splash zone.

[3] Suffix X = 1, 2, 3, A, B, C, etc. which indicates exterior color designation.

[4] (1) maybe suffixed by letter C to indicate a customer specific designation.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.